

# **The Canadian Entomologist**

**INDEX TO VOLUME 107  
1975**

**Editor: P. E. Morrison**



**THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA**

## CONTENTS

- Allen, D. C. See Schultz, D. E., 99; Hardy, Y. J., 761.
- Armstrong, J. A. See Morris, O. N., 1281.
- Arnold, J. W. and Hinks, C. F. Biosystematics of the genus *Euxoa* (Lepidoptera: Noctuidae). III. Hemocytological distinctions between two closely related species, *E. campestris* and *E. declarata*, 1095.
- Arntfield, P. W. A revision of *Graphomya* Robineau-Desvoidy (Dipt.: Musc.) from North America, 257.
- Arthur, A. P. See Chisholm, M. D., 361.
- Bacheler, J. S. See Stinner, R. E., 1167.
- Bailey, D. L. See LaBrecque, G. C., 597.
- Baker, T. C. and Eickwort, G. C. Development and bionomics of *Chrysomelobia labidomerae* (Acari: Tarsonemina; Podapolipidae), a parasite of the milkweed leaf beetle (Coleoptera: Chrysomelidae), 627.
- Baldwin, W. F. and Chant, G. D. Seasonal succession of the mosquitoes (Diptera: Culicidae) of the Chalk River area, 947.
- Baldwin, W. F., West, A. S., and Gomery, J. Dispersal pattern of black flies (Diptera: Simuliidae) tagged with <sup>32</sup>P, 113.
- Barron, J. R. A review of the genus *Lycopsis* Casey (Coleoptera: Trogositidae), 1117.
- Barrow, P. M., McIver, S. B., and Wright, K. A. Salivary glands of female *Culex pipiens*: Morphological changes associated with maturation and blood-feeding, 1153.
- Beirne B. P. Biological control attempts by introductions against pest insects in the field in Canada, 225. See also Rubin, A., 337; Macqueen, A., 1215, 1255.
- Benton, A. See Morgan, P. B., 413.
- Bracken, G. K. and Maw, M. G. Field test of an autocidal control method with the feral mosquito *Culex restuans* (Diptera: Culicidae), 465.
- Bradbury, W. C. and Morrison, P. E. A portable electric aspirator for collecting large insects, 107.
- Browne, R. W. See Tanigoshi, L. K., 439.
- Bryant, D. G. and Raske, A. G. Defoliation of white birch by the casebearer, *Coleophora fuscescens* (Lepidoptera: Coleophoridae), 217.
- Burrage, R. H. See McKinlay, K. S., 543.
- Butler, G. D. See Stinner, R. E., 1167.
- Butler, K. P. See Herbert, H. J., 547, 825.
- Butler, T., Peterson, J. E., and Corbet, P. S. An exceptionally early and informative arrival of adult *Anax junius* in Ontario (Odonata: Aeshnidae), 1253.
- Byers, J. R., Hinks, C. F., and Lafontaine, J. D. Biosystematics of the genus *Euxoa* (Lepidoptera: Noctuidae). II. A description of the immature stages of *Euxoa basalis* and a redescription of the adult, 1083.
- Cameron, P. J. and Wellington, W. G. Effects of the plant growth regulator indolebutyric acid on the growth, development, and reproduction of the western tent caterpillar, *Malacosoma californicum pluviale* (Lepidoptera: Lasiocampidae), 1339.
- Campbell, A. and Mackauer, M. Thermal constants for development of the pea aphid (Homoptera: Aphididae) and some of its parasites, 419.
- The effect of parasitism by *Aphidius smithi* (Hymenoptera: Aphidiidae) on reproduction and population growth of the pea aphid (Homoptera: Aphididae), 919.
- Campbell, J. M. New species and records of *Tachinus* (Coleoptera: Staphylinidae) from North America, 87. A revision of the genera *Coproporus* and *Cilea* (Coleoptera: Staphylinidae) of America north of Mexico, 175.
- Cannings, R. A. A new species of *Chironomus* (Diptera: Chironomidae) from saline lakes in British Columbia, 447.
- Chant, G. D. See Baldwin, W. F., 947.
- Chawla, S. S., Islam, M. N., Cloutier, M., and Perron, J. M. Preliminary observations on electrophoretic patterns of total soluble proteins of *Macrosiphum euphorbiae* (Homoptera: Aphididae), 963.
- Chen, C. W. See Simmons, G. A., 1205.
- Chiba, M. See Herne, D. C., 801.
- Chisholm, M. D., Steck, W. F., Arthur, A. P., and Underhill, E. W. Evidence for *cis*-11-hexadecen-1-ol acetate as a major component of the sex pheromone of the bertha armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae), 361.
- Cloutier, M. See Chawla, S. S., 963.
- Comeau, A. See McNeil, J. N., 1221.
- Corbet, P. S. See Butler, T., 1253.
- Danks, H. V. Seasonal cycle and biology of *Winthemia rufopicta* (Diptera: Tachinidae) as a parasite of *Heliothis* spp. (Lepidoptera: Noctuidae) on tobacco in North Carolina, 639.
- Factors determining levels of parasitism by *Winthemia rufopicta* (Diptera: Tachinidae), with particular reference to *Heliothis* spp. (Lepidoptera: Noctuidae) as hosts, 655.
- DeBarr, G. L. and Kormanik, P. P. Anatomical basis for conelet abortion on *Pinus echinata* following feeding by *Leptoglossus corculis* (Hemiptera: Coreidae), 81.
- Denning, D. G. New and unusual *Rhyacophila* (Trichoptera: Rhyacophilidae), 953.

- Doane, C. C. and Leonard, D. E.** Orientation and dispersal of late-stage larvae of *Porthetria dispar* (Lepidoptera: Lymantriidae), 1333.
- Doane, J. F., Lee, Y. W., Klingler, J., and Westcott, N. D.** The orientation response of *Ctenicera destructor* and other wireworms (Coleoptera: Elateridae) to germinating grain and to carbon dioxide, 1233.
- Dondale, C. D. and Redner, J. H.** The *fuscomarginatus* and *histrion* groups of the spider genus *Philodromus* in North America (Araneida: Thomisidae), 369.
- Revision of the spider genus *Apollophanes* (Araneida: Thomisidae), 1175.
- Dove, R. F. and McKague, A. B.** Effects of insect developmental inhibitors on adult emergence of black flies (Diptera: Simuliidae). II, 1121.
- Duchesne, R.-M.** See McNeil, J. N., 1221.
- Dyer, E. D. A.** Frontalin attractant in stands infested by the spruce beetle, *Dendroctonus rufipennis* (Coleoptera: Scolytidae), 979.
- Eickwort, G. C.** A new species of *Chrysomelobia* (Acari: Tarsonemina; Podapolipidae) from North America and the taxonomic position of the genus, 613.
- See also Baker, T. C., 627.
- Eidt, D. C.** The effect of fenitrothion from large-scale forest spraying on benthos in New Brunswick headwaters streams, 743.
- Eidt, D. C. and Sundaram, K. M. S.** The insecticide fenitrothion in headwaters streams from large-scale forest spraying, 735.
- Finnamore, D.** See Harris, P., 913.
- Finnegan, R. J.** Introduction of a predacious red wood ant, *Formica lugubris* (Hymenoptera: Formicidae), from Italy to Eastern Canada, 1271.
- Fisher, T. W.** See Orth, R. E., 1111.
- Flint, H. M., Wright, B., Sallam, H., and Horn, B.** A comparison of irradiated or chemosterilized pink bollworm moths for suppressing native populations in field cages, 1069.
- Fredeen, F. J. H.** Effects of a single injection of methoxychlor black-fly larvicide on insect larvae in a 161-km (100-mile) section of the North Saskatchewan River, 807.
- Gara, R. I.** See Overhulser, D. L., 251.
- Gaunce, A. P.** See Morgan, C. V. G., 367, 935.
- Gerber, G. H.** Reproductive behaviour and physiology of *Tenebrio molitor* (Coleoptera: Tenebrionidae). II. Egg development and oviposition in young females and the effects of mating, 551.
- Occurrence of a microsporidian infection in the red turnip beetle, *Entomoscelis americana* (Coleoptera: Chrysomelidae), 1081.
- Gillott, C.** See Sawchyn, W. W., 119.
- Gomery, J.** See Baldwin, W. F., 113.
- Grant, G. G.** Extraction and bioassay of female sex pheromone of white-marked tussock moth, *Orgyia leucostigma* (Lepidoptera: Lymantriidae), 303.
- Gray, D. E.** See Ostaff, D., 1321.
- Green, N.** See Struble, D. L., 355.
- Guevremont, H.** See Quednau, F. W., 1199.
- Guppy, J. C.** See Harcourt, D. G., 1275.
- Guppy, J. C., Harcourt, D. G., and Mukerji, M. K.** Population assessment during the larval stage of the alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), 785.
- Hacker, C. S., Scott, D. W., and Thompson, J. R.** A transfer function forecasting model for mosquito populations, 243.
- Hamilton, K. G. A.** Review of the tribal classification of the leafhopper subfamily Aphrodinae (Deltoccephalinae of authors) of the Holarctic Region (Rhynchota: Homoptera: Cicadellidae), 477.
- Additional characters for specific determinations in Nearctic *Xerophloea* (Rhynchota, Homoptera: Cicadellidae), 943.
- A review of the Northern Hemisphere Aphrodina (Rhynchota: Homoptera: Cicadellidae), with special reference to the Nearctic fauna, 1009.
- Hamilton, K. G. A. and Ross, H. H.** New species of grass-feeding deltocephaline leafhoppers with keys to the Nearctic species of *Palus* and *Rosenus* (Rhynchota: Homoptera: Cicadellidae), 601.
- Harcourt, D. G.** See Guppy, J. C., 785.
- Harcourt, D. G. and Guppy, J. C.** Population and mortality assessment during the cocoon stage of the alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), 1275.
- Hardy, Y. J. and Allen, D. C.** Selection of ovipositional sites by the European pine sawfly, *Neodiprion sertifer* (Hymenoptera: Diprionidae), on Scots pine, 761.
- Harris, C. R.** See Martel, P., 95, 471.
- Harris, C. R. and Turnbull, S. A.** Laboratory studies on the toxicity of insecticides to the bertha armyworm (*Mamestra configurata*) (Lepidoptera: Noctuidae), 865.
- Harris, P.** See Peschken, D. P., 1101.
- Harris, P., Wilkinson, A. T. S., Neary, M. E., Thompson, L. S., and Finnamore, D.** Establishment in Canada of the cinnabar moth, *Tyria jacobaeae* (Lepidoptera: Arctiidae) for controlling the weed *Senecio jacobaea*, 913.

- Harvey, G. T. Nutritional studies of eastern spruce budworm (Lepidoptera: Tortricidae), 717.
- Headley, J. C. See Taylor, C. R., 237.
- Herbert, H. J. and Butler, K. P. Sampling systems for European red mite, *Panonychus ulmi* (Acarina: Tetranychidae). II. Effect of spur cluster size on mite distribution, 547.
- Sex ratio of the European red mite, *Panonychus ulmi* (Acarina: Tetranychidae), in apple orchards in Nova Scotia, 825.
- Herne, D. C. and Chiba, M. Mortality of the European red mite (Acarina: Tetranychidae) relative to distribution and degradation of dicofol deposits on peach leaves, 801.
- Hertert, H. D., Miller, D. L., and Partridge, A. D. Interaction of bark beetles (Coleoptera: Scolytidae) and root-rot pathogens in grand fir in northern Idaho, 899.
- Hinks, C. F. See Byers, J. R., 1083; Arnold, J. W., 1095.
- Holling, C. S. See Thomson, A. J., 167.
- Holmes, N. D. Effects of moisture, gravity, and light on the behavior of larvae of the wheat stem sawfly, *Cephus cinctus* (Hymenoptera: Cephidae), 391.
- See also Swailes, G. E., 781.
- Horn, B. See Flint, H. M., 1069.
- Hoyt, S. C. See Tanigoshi, L. K., 439.
- Islam, M. N. See Chawla, S. S., 963.
- Iversen, J. See McLintock, J., 695.
- Iwantsch, G. F. See Smilowitz, Z., 689.
- Iwantsch, G. F. and Smilowitz, Z. Relationships between the parasitoid *Hyposoter exiguae* and the cabbage looper, *Trichoplusia ni*: Effects on head-capsule width, live and dry weights, and hemolymph specific gravity of hosts at different ages, 927.
- Jacobson, M. See Struble, D. L., 355.
- Jay, S. C. See Liu, Ying-Shin, 705.
- Kearby, W. H. See Roling, M. P., 1315.
- Kethley, J. B. See Lindquist, E. E., 887.
- Klingler, J. See Doane, J. F., 1233.
- Köhalmi, L. and Moens, P. Evidence for the existence of an intergrade population between *Hyalophora gloveri nokomis* and *H. columbia* in northwestern Ontario (Lepidoptera: Saturniidae), 793.
- Kormanik, P. P. See DeBarr, G. L., 81.
- Kulman, H. M. See Witter, J. A., 837.
- LaBrecque, G. C. See Morgan, P. B., 413.
- LaBrecque, G. C., Bailey, D. L., Meifert, D. W., and Weidhaas, D. E. Density estimates and daily mortality rate evaluations of stable fly (*Stomoxys calcitrans* (Diptera: Muscidae)) populations in field cages, 597.
- Lafontaine, J. D. The *mimallonis* group of the genus *Euxoa* Hbn. (Lepidoptera: Noctuidae) with descriptions of three new species, 155.
- The *misturata* group of the genus *Euxoa* (Lepidoptera: Noctuidae) with a description of a new species, 1327.
- See also Byers, J. R., 1083.
- Lamb, R. J. and Wellington, W. G. Life history and population characteristics of the European earwig, *Forficula auricularia* (Dermaptera: Forficulidae), at Vancouver, British Columbia, 819.
- Larivière, J. M. See Sharma, M. L., 1063.
- Lee, Y. W. See Doane, J. F., 1233.
- Legner, E. F. See Orth, R. E., 1111.
- Leonard, D. E. See Doane, C. C., 1333.
- Lindquist, E. E. *Digamasellus* Berlese, 1905, and *Dendrolaelaps* Halbert, 1915, with descriptions of new taxa of Digamasellidae (Acarina: Mesostigmata), 1.
- Associations between mites and other arthropods in forest floor habitats, 425.
- Lindquist, E. E. and Kethley, J. B. The systematic position of the Heterocheylidae Trägårdh (Acari: Acariformes: Prostigmata), 887.
- Lindquist, O. H. See Rose, A. H., 567.
- Liu, H. J., Macfarlane, R. P., and Pengelly, D. H. Relationships between flowering plants and four species of *Bombus* (Hymenoptera: Apidae) in southern Ontario, 577.
- Liu, Ying-Shin and Jay, S. C. Field studies of queen honey bees (Hymenoptera: Apidae) reared by small numbers of caged worker bees, 705.
- Logan, D. M. See Proverbs, M. D., 1265.
- Logan, D. M. and Proverbs, M. D. A device for marking adult codling moths (Lepidoptera: Olethreutidae) with fluorescent powders, 879.
- Loschiavo, S. R. Field tests of devices to detect insects in different kinds of grain storages, 385.
- Luciuk, G. S. See Sanders, C. J., 1289.
- Macfarlane, R. P. See Liu, H. J., 577.
- Mackauer, M. See Campbell, A., 419, 919.

- Mackay, P. A. and Wellington, W. G.** A comparison of the reproductive patterns of apterous and alate virginoparous *Acyrtosiphon pisum* (Homoptera: Aphididae), 1161.
- MacLeod, D. M.** See Smirnov, W. A., 1123.
- Macqueen, A. and Beirne, B. P.** Dung burial activity and fly control potential of *Onthophagus nuchicornis* (Coleoptera: Scarabaeinae) in British Columbia, 1215.
- Influence of other insects on production of horn fly, *Haematobia irritans* (Diptera: Muscidae), from cattle dung in south-central British Columbia, 1255.
- Madsen, B. J.** See Morgan, C. V. G., 367.
- Madsen, H. F., Peters, H. F., and Vakenti, J. M.** Pest management: Experience in six British Columbia apple orchards, 873.
- Martel, P., Harris, C. R., and Svec, H. J.** Toxicological studies on the carrot weevil, *Listronotus oregonensis* (Coleoptera: Curculionidae), 471.
- Martel, P., Svec, H. J., and Harris, C. R.** Mass rearing of the carrot weevil, *Listronotus oregonensis* (Coleoptera: Curculionidae), under controlled environmental conditions, 95.
- Mason, W. R. M.** A new Nearctic *Apanteles* (Hymenoptera: Braconidae) from Oregon grape (Berberidaceae), 1133.
- Mattson, W. J.** See Witter, J. A., 837.
- Maw, M. G.** See Bracken, G. K., 465.
- McAlpine, J. F.** Identities of lance flies (Diptera: Lonchaeidae) described by de Meijere, with notes on related species, 989.
- McClanahan, R. J.** Insecticides for control of the Colorado potato beetle (Coleopt.: Chrysom.), 561.
- McDonald, S. and Swales, G. E.** Dieldrin resistance in *Hylemya brassicae* (Diptera: Anthomyiidae) in Alberta, 729.
- McEwen, F. L.** See Nair, K. S. S., 343.
- McIver, S. B.** See Barrow, P. M., 1153.
- McKague, A. B.** See Dove, R. F., 1121.
- McKinlay, K. S. and Burrage, R. H.** Laboratory and field experiments on the toxicity of various insecticides to grasshoppers, *Melanoplus sanguinipes* and *Camnula pellucida* (Orthop.: Acrid.), 543.
- McLintock, J. and Iversen, J.** Mosquitoes and human disease in Canada, 695.
- McNeil, J. N., Duchesne, R.-M., and Comeau, A.** Known distribution of the European skipper, *Thymelicus lineola* (Lepidoptera: Hesperidae), in Quebec, 1221.
- Meifert, D. W.** See LaBrecque, G. C., 597.
- Miller, D. L.** See Hertert, H. D., 899.
- Moens, P.** See Köhalmi, L., 793.
- Moore, I.** See Orth, R. E., 1111.
- Morgan, C. V. G. and Gaunce, A. P.** Carbon dioxide as a fumigant against the San Jose scale (Homoptera: Diaspididae) on harvested apples, 935.
- Morgan, C. V. G., Gaunce, A. P., and Madsen, B. J.** Control of the San Jose scale on harvested apples by methyl bromide fumigation and cold storage, 367.
- Morgan, P. B., LaBrecque, G. C., Weidhaas, D. E., and Benton, A.** The effect of methoprene, an insect growth regulator, on *Musca domestica* (Diptera: Muscidae), 413.
- Morris, O. N. and Armstrong, J. A.** Preliminary field trials with *Bacillus thuringiensis* - chemical insecticide combinations in the integrated control of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1281.
- Morrison, P. E.** See Bradbury, W. C., 107.
- Mukerji, M. K.** See Guppy, J. C., 785.
- Munroe, E.** Biogeography of North American Odontiinae (Lepidoptera: Pyralidae), 129.
- Nair, K. S. S. and McEwen, F. L.** Ecology of the cabbage maggot, *Hylemya brassicae* (Diptera: Anthomyiidae), in rutabaga in southwestern Ontario, with some observations on other root maggots, 343.
- Neary, M. E.** See Harris, P., 913.
- Neilson, W. T. A.** Fecundity of virgin and mated apple maggot (Diptera: Tephritidae) females confined with apple and black ceresin wax domes, 909.
- Newton, J. R.** See Proverbs, M. D., 1265.
- Orth, R. E., Moore, I., Fisher, T. W., and Legner, E. F.** A rove beetle, *Ocyrops olens*, with potential for biological control of the brown garden snail, *Helix aspersa*, in California, including a key to the Nearctic species of *Ocyrops*, 1111.
- Ostaf, D. and Gray, D. E.** Termite (Isoptera) suppression with toxic baits, 1321.
- Overhulser, D. L. and Gara, R. I.** Spring flight and adult activity of the white pine weevil, *Pissodes strobi* (Coleoptera: Curculionidae), on Sitka spruce in western Washington, 251.
- Partridge, A. D.** See Hertert, H. D., 899.
- Pengelly, D. H.** See Liu, H. J., 577.
- Perron, J. M.** See Chawla, S. S., 963.
- Peschken, D. P. and Harris, P.** Host specificity and biology of *Urophora cardui* (Diptera: Tephritidae). A biocontrol agent for Canada thistle (*Cirsium arvense*), 1101.

- Peters, H. F.** See Madsen, H. F., 873.
- Peterson, J. E.** See Butler, T., 1253.
- Peterson, B. V.** A new name for a subgeneric homonym in the Simuliidae (Diptera), 111.  
A new cretaceous bibionid from Canadian Amber (Diptera: Bibionidae), 711.
- Philogène, B. J. R.** Observations sur la structure des ocelles larvaires (stemmales) de certains Lépidoptères, 1073.
- Pickford, R.** Water uptake in eggs of *Camnula pellucida* (Orthoptera: Acrididae) and its relationship to embryogenesis, 533.
- Pimentel, D.** See Sydor, W. J., 1343.
- Pinto, J. D.** A taxonomic study of the genus *Tegrodera* (Coleoptera: Meloidae), 45.
- Prokopy, R. J.** Mating behavior in *Rhagoletis pomonella* (Diptera: Tephritidae). V. Virgin female attraction to male odor, 905.
- Proverbs, M. D.** See Logan, D. M., 879.
- Proverbs, M. D., Logan, D. M., and Newton, J. R.** A study to suppress codling moth (Lepidoptera: Olethreutidae) with sex pheromone traps, 1265.
- Quednau, F. W. and Guevremont, H.** Observations on mating and oviposition behaviour of *Priopoda nigricollis* (Hymenoptera: Ichneumonidae), a parasite of the birch leaf-miner, *Fenusa pusilla* (Hymenoptera: Tenthredinidae), 1199.
- Raske, A. G.** Cold-hardiness of first instar larvae of the forest tent caterpillar, *Malacosoma disstria* (Lepidoptera: Lasiocampidae), 75.  
See Bryant, D. G., 217.
- Redner, J. H.** See Dondale, C. D., 369, 1175.
- Retnakaran, A. and Smith, L.** Morphogenetic effects of an inhibitor of cuticle development on the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 883.
- Reyes, A. A. and Stevenson, A. B.** Toxicity of benomyl to the cabbage maggot, *Hylemya brassicae* (Diptera: Anthomyiidae), in greenhouse tests, 685.
- Rolling, M. P. and Kearby, W. H.** Seasonal flight and vertical distribution of Scolytidae attracted to ethanol in an oak-hickory forest in Missouri, 1315.
- Rose, A. H., R. H. Silversides, and Lindquist, O. H.** Migration flight by an aphid, *Rhopalosiphum maidis* (Hemiptera: Aphididae), and a noctuid, *Spodoptera frugiperda* (Lepidoptera: Noctuidae), 567.
- Ross, H. H.** See Hamilton, K. G. A., 601.
- Rubin, A. and Belrne, B. P.** Natural enemies of the European fruit lecanium, *Lecanium tiliae* (Homoptera: Coccidae), in British Columbia, 337.
- Ryan, R. B.** Photoperiod effects on development of the larch casebearer, *Coleophora laricella* (Lepidoptera: Coleophoridae), 1305.
- Ryan, R. B. and Yoshimoto, C. M.** Laboratory crossings with different sources of the larch casebearer parasite *Chrysoscharis larinellae* (Hymenoptera: Eulophidae), 1301.
- Sæther, O. A.** Twelve new species of *Limnophyes* Eaton, with keys to Nearctic males of the genus (Diptera: Chironomidae), 1029.
- Salkeld, E. H.** Biosystematics of the genus *Euxoa* (Lepidoptera: Noctuidae). IV. Eggs of the subgenus *Euxoa* Hbn., 1137.
- Sallam, H.** See Flint, H. M., 1069.
- Sanders, C. J.** Factors affecting adult emergence and mating behavior of the eastern spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 967.
- Sanders, C. J. and Lucuk, G. S.** Effects of photoperiod and size on flight activity and oviposition in the eastern spruce budworm (Lepidoptera: Tortricidae), 1289.
- Sawchyn, W. W. and Gillott, C.** The biology of two related species of coenagrionid dragonflies (Odonata: Zygoptera) in western Canada, 119.
- Schultz, D. E. and Allen, D. C.** Biology and descriptions of the cherry scallop shell moth, *Hydria prunivorata* (Lepidoptera: Geometridae), in New York, 99.
- Scott, D. W.** See Hacker, C. S., 243.
- Scudder, G. G. E.** The world Rhyparochrominae (Hemiptera: Lygaeidae). XIV. *Megapamera*, a new genus and two new species from the Solomon Islands and New Guinea, 937.
- Shapiro, A. M.** Photoperiodic control of development and phenotype in a subarctic population of *Pieris occidentalis* (Lepidoptera: Pieridae), 775.
- Sharma, M. L., Larrivière, J. M., et Thériault, L. M.** Séquences de descendance des formes sexuées chez le puceron du pois *Acyrtosiphon pisum* (Homoptera: Aphididae) en relation avec la durée des photopériodes, 1063.
- Sheppard, A. C. and Vickery, V. R.** Types and type designations of North American Lepidoptera in the Lyman Entomological Museum Collection, 1129.
- Shimada, S.** Trehalase activity in the silk glands of the silkworm, *Bombyx mori* (Lepidoptera: Bombycidae), 1311.
- Silversides, R. H.** See Rose, A. H., 567.



- Simmons, G. A. and Chen, C. W.** Approaches to assessing insecticide efficacy in spruce budworm (Lepidoptera: Tortricidae) control programs, 1205.
- Smetana, A.** New and little known high altitude *Quedius* from Mexico (Coleoptera: Staphylinidae), 311.
- Smilowitz, Z.** See Iwantsch, G. F., 927.
- Smilowitz, Z. and Iwantsch, G. F.** Relationships between the parasitoid *Hyposoter exiguae* and the cabbage looper, *Trichoplusia ni*: The effect of host age on ovipositional rate of the parasitoid and successful parasitism, 689.
- Smirnoff, W. A. and MacLeod, D. M.** Pentes sablonneuses de carrières: Cimentières des imagos de *Metasyrphus lapponicus* (Diptera: Syrphidae) atteints d'entomophthorose, 1123.
- Smith, L.** See Retnakaran, A., 883.
- Smith, L. B.** Occurrence of the depressed flour beetle, *Palorus subdepressus* (Coleoptera: Tenebrionidae), in Canada, 109.
- Steck, W. F.** See Chisholm, M. D., 361.
- Stevenson, A. B.** See Reyes, A. A., 685.
- Stinner, R. E., Butler, G. D., Bachelier, J. S., and Tuttle, C.** Simulation of temperature-dependent development in population dynamics models, 1167.
- Struble, D. L.** See Swailes, G. E., 781.
- Struble, D. L., Jacobson, M., Green, N., and Warthen, J. D.** Bertha armyworm (Lepidoptera: Noctuidae): Detection of a sex pheromone and the stimulatory effect of some synthetic chemicals, 355.
- Sundaram, K. M. S.** See Eidt, D. C., 735.
- Svec, H. J.** See Martel, P., 95, 471.
- Swailes, G. E.** See McDonald, S., 729.
- Swailes, G. E., Struble, D. L., and Holmes, N. D.** Use of traps baited with virgin females for field observations on the bertha armyworm (Lepidoptera: Noctuidae), 781.
- Swain, W. R.** Cold tolerance in relation to starvation of adult *Rhyzopertha dominica* (Coleoptera: Bostrichidae), 1057.
- Sydr, W. J. and Pimentel, D.** Genetic feedback and simulated environmental catastrophes, 1343.
- Tanigoshi, L. K., Browne, R. W., and Hoyt, S. C.** A study on the dispersion pattern and foliage injury by *Tetranychus mcDanieli* (Acarina: Tetranychidae) in simple apple ecosystems, 439.
- Tauber, C. A.** See Tauber, M. J., 589.
- Tauber, M. J. and Tauber, C. A.** Criteria for selecting *Chrysopa carnea* biotypes for biological control: Adult dietary requirements, 589.
- Taylor, C. R. and Headley, J. C.** Insecticide resistance and the evaluation of control strategies for an insect population, 237.
- Thériault, L. M.** See Sharma, M. L., 1063.
- Thompson, J. R.** See Hacker, C. S., 243.
- Thompson, L. S.** See Harris, P., 913.
- Thomson, A. J.** The biology of *Pollenia rudis*, the cluster fly (Diptera: Calliphoridae). IV. A preliminary model of the cluster fly life cycle, and some possible methods of biological control, 855.
- Synchronization of function in the foregut of the blowfly *Phormia regina* (Diptera: Calliphoridae) during the crop-emptying process, 1193.
- Thomson, A. J. and Holling, C. S.** Experimental component analysis of the feeding rate of the blowfly *Phormia regina* (Diptera: Calliphoridae), 167.
- Tomlin, A. D.** Notes on the biology and rearing of two species of ground beetles, *Pterostichus melanarius* and *Harpalus pensylvanicus* (Coleoptera: Carabidae), 67.
- The toxicity of insecticides by contact and soil treatment to two species of ground beetles (Coleoptera: Carabidae), 529.
- Toxicity of soil applications of insecticides to three species of springtails (Collembola) under laboratory conditions, 769.
- Turnbull, S. A.** See Harris, C. R., 865.
- Tuttle, C.** See Stinner, R. E., 1167.
- Underhill, E. W.** See Chisholm, M. D., 361.
- Vakenti, J. M.** See Madsen, H. F., 873.
- Vickery, V. R.** See Sheppard, A. C., 1129.
- Warthen, J. D.** See Struble, D. L., 355.
- Weldhaas, D. E.** See Morgan, P. B., 413; LaBrecque, G. C., 597.
- Wellington, W. G.** See Lamb, R. J., 819; Mackay, P. A., 1161; Cameron, P. J., 1339.
- West, A. S.** See Baldwin, W. F., 113.
- Westcott, N. D.** See Doane, J. F., 1233.
- White, T. C. R.** A quantitative method of beating for sampling larvae of *Selidosema suavis* (Lepidoptera: Geometridae) in plantations in New Zealand, 403.
- Wiggins, G. B.** Contributions to the systematics of the caddisfly family Limnephilidae (Trichoptera). II, 325.
- Wilkinson, A. T. S.** See Harris, P., 913.

- Williams, D. D. and Williams, N. E.** A contribution to the biology of *Ironoquia punctatissima* (Trichoptera: Limnephilidae), 829.
- Williams, N. E.** See Williams, D. D., 829.
- Witter, J. A., Mattson, W. J., and Kulman, H. M.** Numerical analysis of a forest tent caterpillar (Lepidoptera: Lasiocampidae) outbreak in northern Minnesota, 837.
- Wong, H. R.** The *abietina* group of *Pristiphora* (Hymenoptera: Tenthredinidae), 451.
- Wood, T. K.** Defense in two pre-social membracids (Homoptera: Membracidae), 1227.
- Wright, B.** See Flint, H. M., 1069.
- Wright, K. A.** See Barrow, P. M., 1153.
- Yoshimoto, C. M.** Cretaceous chalcidoid fossils from Canadian Amber, 499.
- A new species of *Ooencyrtus* (Hymenoptera: Chalcidoidea, Encyrtidae) reared from the elm spanworm, *Ennomos subsignarius* (Lepidoptera: Geometridae), 833.
- See also Ryan, R. B., 1301.



## THE ENTOMOLOGICAL SOCIETY OF CANADA

### SUPPLEMENTS AND MEMOIRS

- No. 1** of Vol. LXXXVII (mailed 30 March 1955): The comparative internal larval anatomy of sawflies (Hymenoptera: Symphyta) — Doreen E. Maxwell
- No. 1** of Vol. LXXXVIII (mailed 10 December 1956): Revision of the Nearctic species of *Agriotes* (Coleoptera: Elateridae) — Edward C. Becker
- No. 2** of Vol. LXXXVIII (mailed 16 January 1957): Leafhoppers (Homoptera: Cicadellidae) of Canada and Alaska — Bryan P. Beirne
- No. 3** of Vol. LXXXVIII (mailed 2 January 1957): The New World species of *Chrysomela* L. (Coleoptera: Chrysomelidae) — W. J. Brown
- NOTE: After this issue the "Supplements" became, in fact, a self-contained series with a continuous numbering system independent of *The Canadian Entomologist*. Nevertheless, they were still issued (with later exceptions) as "Accompanying" volumes of *The Canadian Entomologist*.
- Because four Supplements had already been published, the next one was called No. 5 — there is no Supplement No. 4.
- No. 4** — there is no Supplement No. 4.
- No. 5** (mailed 2 December 1957): The use of larval anatomy in the study of bark beetles (Coleoptera: Scolytidae) — J. B. Thomas
- No. 6** (mailed 8 April 1958): Taxonomy, life history, and habits of the elliptoid-eyed species of *Schinia* (Lepidoptera: Noctuidae), with notes on the Heliethidinae — David F. Harwick.
- No. 7** (mailed 28 April 1958): The Archipinae of North America (Lepidoptera: Tortricidae) — T. N. Freeman
- No. 8** (mailed 12 September 1958): Larvae of the Nearctic Laurentiinae (Lepidoptera: Geometridae) — W. C. McGuffin
- No. 9** (mailed 14 November 1958): Acridoidea of southern Alberta, Saskatchewan, and Manitoba (Orthoptera) — Arthur R. Brooks
- No. 10** (mailed 26 March 1959): Larvae of the North American Olethreutidae (Lepidoptera) — Margaret Rae MacKay
- No. 11** (mailed 26 March 1959): Male genitalia as taxonomic characters in the Miridae (Hemiptera) — Leonard A. Kelton
- No. 12** (mailed 15 June 1959): Phytoseiid mites (Acarina: Phytoseiidae). I. Bionomics of seven species in southeastern England. II. A taxonomic review of the family Phytoseiidae, with descriptions of 38 new species — D. A. Chant
- No. 13** (mailed 14 November 1960): A synopsis of the genus *Rhopalosiphum* in Canada (Homoptera: Aphididae) — W. R. Richards
- No. 14** (mailed 16 March 1961): A revision of the Nearctic species of Fanniinae (Diptera: Muscidae) — J. G. Chillcott
- No. 15** (mailed 1 February 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). I. Introduction, key to Nearctic genera of Ichneumoninae Stenopneusticae, and synopsis of the Protichneumonini north of Mexico — Gerd H. Heinrich
- No. 16** (mailed 11 January 1961): Needle-mining Lepidoptera of pine in North America — T. N. Freeman
- No. 17** (mailed 25 October 1961): The classification of the Papilionidae (Lepidoptera) — Eugene Munroe
- No. 18** (mailed 4 April 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). II. Synopsis of the Ichneumonini: Genera *Orgichneumon*, *Cratichneumon*, *Homotherus*, *Aculichneumon*, *Spilichneumon* — Gerd H. Heinrich
- No. 19** (mailed 4 April 1961): Mathematical models for use in insect pest control — Kenenth E. F. Watt
- No. 20** (mailed 6 April 1961): Adult Elateridae of southern Alberta, Saskatchewan and Manitoba (Coleoptera) — A. R. Brooks
- No. 21** (mailed 13 September 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). III. Synopsis of the Ichneumoni: Genera *Ichneumon* and *Thyrateles* — Gerd H. Heinrich
- No. 22** (mailed 29 May 1961): Taxonomy and distribution of Nearctic *Vespula* — C. D. F. Miller

- No. 23 (mailed 21 December 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). IV. Synopsis of the Ichneumonini: Genera *Chasmias*, *Neamblymorpha*, *Anisopygus*, *Limerodops*, *Eupalamus*, *Tricholabus*, *Pseudamblyteles*, *Eutanyacra*, *Ctenichneumon*, *Exephanes*, *Ectopimorpha*, *Pseudoamblyteles* — Gerd H. Heinrich
- No. 24 (mailed 27 December 1961): Synopsis of the North American Odontiinae, with descriptions of new genera and species (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 25 (mailed 28 December 1961): A revision of the New World species of *Thalycra* Erichson, with a description of a new genus and notes on generic synonymy (Coleoptera: Nitidulidae) — Henry F. Howden
- No. 26 (mailed 19 February 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). V. Synopsis of the Ichneumonini: Genera *Protopelmus*, *Patrocloides*, *Probolus*, *Stenichneumon*, *Aoplus*, *Limoneche*, *Hybophorellus*, *Rubicundiella*, *Melanichneumon*, *Stenobarichneumon*, *Platylabops*, *Hoplismenus*, *Hemihoplis*, *Trogomorpha* — Gerd H. Heinrich
- No. 27 (mailed 20 September 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VI. Synopsis of the Ichneumonini (genus *Plagiotrypes*), *Acanthojoppini*, *Listrodromini* and *Platylabini* — Gerd H. Heinrich
- No. 28 (mailed 6 November 1962): Larvae of the North American Tortricinae (Lepidoptera: Tortricidae) — Margaret Rae MacKay
- No. 29 (mailed 27 November 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VII. Synopsis of the Trogini addenda and corrigenda — Gerd H. Heinrich
- No. 30 (mailed 1 May 1963): A catalogue of the Nearctic Chalcidoidea (Insecta: Hymenoptera) — Oswald Peck
- NOTE: After Supplement No. 30, the series continued under the title of *Memoirs of the Entomological Society of Canada*.
- No. 31 (mailed 21 May 1963): The dynamics of epidemic spruce budworm populations — R. F. Morris, *Editor*
- No. 32 (mailed 4 June 1963): Population dynamics of agricultural and forest insect pests — E. J. LeRoux and others
- No. 33 (mailed 19 March 1964): Some neotropical genera resembling *Epicorsia* Hübner (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 34 (mailed 1 April 1964): Keys to the Chalcidoidea of Czechoslovakia (Insecta: Hymenoptera) — Oswald Peck, Zdeněk Bouček and Augustin Hoffer
- No. 35 (mailed 14 May 1964): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VIII. Addenda and corrigenda, host-parasite list and generic host index, index to ichneumonid names — Oswald Peck
- No. 36 (mailed 21 October 1964): The morphology, histology, and fine structure of the gut of the green peach aphid, *Myzus persicae* (Sulzer) (Homoptera: Aphididae) — A. R. Forbes
- No. 37 (mailed 23 October 1964): Insect lipids: A review — Paul G. Fast
- No. 38 (mailed 6 November 1964): Blood circulation in insect wings — John W. Arnold
- No. 39 (mailed 10 December 1964): The Geotrupinae of North and Central America — Henry F. Howden
- No. 40 (mailed 1 April 1965): The corn earworm complex — David F. Hardwick
- No. 41 (mailed 5 April 1965): The Phytoseiidae (Acarina) of Central America — D. A. Chant and E. W. Baker
- No. 42 (mailed 18 June 1965): The Muscidae of northern Canada, Alaska, and Greenland (Diptera) — Hugh C. Hockett
- No. 43 (mailed 23 June 1965): Recherches sur la biologie et la dynamique des populations naturelles d'*Archips argyrospilus* (Wlk.) (Lépidoptères: Tortricidae) dans le sud-ouest du Québec — Rudolphe-O. Paradis et E. J. LeRoux
- No. 44 (mailed 26 October 1965): The Callaphidini of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 45 (mailed 7 December 1965): The functional response of predators to prey density and its role in mimicry and population regulation — C. S. Holling
- No. 46 (mailed 9 December 1965): The population dynamics of the winter moth in Nova Scotia, 1954-1962 — D. G. Embree

- No. 47 (mailed 29 December 1965): Taxonomic concepts in the Ascidae, with a modified setal nomenclature for the idiosoma of the Gamasina (Acarina: Mesostigmata) — Evert E. Lindquist and G. Owen Evans
- No. 48 (mailed 1 April 1966): The functional response of invertebrate predators to prey density — C. S. Holling
- No. 49 (mailed 16 May 1966): Revision of North American species of *Udea* Guenée (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 50 (mailed 15 September 1967): Guide to the Geometridae of Canada (Lepidoptera). I. Subfamily Sterrhinae — W. C. McGuffin
- No. 51 (mailed 15 September 1967): Aquatic and semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera) — Arthur R. Brooks and Leonard A. Kelton
- No. 52 (mailed 9 January 1968): A history of grasshopper abundance surveys and forecasts of outbreaks in Saskatchewan — Paul W. Riegert
- No. 53 (mailed 12 February 1968): Generic classification, evolution, and biogeography of the Sminthuridae of the World (Collembola) — W. R. Richards
- No. 54 (mailed 19 April 1968): A review of the Trichiinae of North and Central America (Coleoptera: Scarabaeidae) — Henry F. Howden
- No. 55 (mailed 3 July 1968): The *imbecillus* and *rufus* groups of the spider genus *Phidromus* in North America (Araneida: Thomisidae) — C. D. Dondale and J. H. Redner
- No. 56 (mailed 13 September 1968): The tachinids of Trinidad. VIII. Phorocerines — W. R. Thompson
- No. 57 (mailed 5 December 1968): A synopsis of the World fauna of *Myzocallis* (Homoptera: Aphididae) — W. R. Richards
- No. 58 (mailed 6 November 1968): The North American Aegeriidae (Lepidoptera): A revision based on late-instar larvae — Margaret Rae MacKay
- No. 59 (mailed 26 February 1969): The life histories, distribution, and immature forms of the North American sawflies of the genus *Cephalcia* (Hymenoptera: Pamphiliidae) — D. C. Eidt
- No. 60 (mailed 19 February 1969): Review of the Holarctic tarsonemid mites (Acarina: Prostigmata) parasitizing eggs of ipine bark beetles — Evert E. Lindquist
- No. 61 (mailed 17 April 1969): Contribution towards a monograph of the fleas of New Guinea — George P. Holland
- No. 62 (mailed 15 July 1969): A revision of the genera of the Syrphini (Diptera: Syrphidae) — J. R. Vockeroth
- No. 63 (mailed 21 June 1969): Larvae and pupae of some eastern North American Tabanidae (Diptera) — H. J. Teskey
- No. 64 (mailed 11 November 1969): The Agromyzidae of Canada and Alaska — Kenneth A. Spencer
- No. 65 (mailed 25 June 1970): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae: Bombinae): Bibliography — H. E. Milliron
- No. 66 (mailed 6 April 1970): Le genre *Rhyacophila* et la famille des Rhyacophilidae (Trichoptera) — F. Schmid
- No. 67 (mailed 24 March 1970): The genus *Euxoa* (Lepidoptera: Noctuidae) in North America. I. Subgenera *Orosagrotis*, *Longivesica*, *Chorizagrotis*, *Pleonectopoda*, and *Crassivesica* — David F. Hardwick
- No. 68 (mailed 26 March 1970): The Nearctic species of *Phygadeuon* and *Sympiesis* (Hymenoptera: Eulophidae) — Charles Douglas Miller
- No. 69 (mailed 31 March 1970): The *Prosimulium* of Canada and Alaska (Diptera: Simuliidae) — B. V. Peterson
- No. 70 (mailed 25 June 1970): Models for the development and survival of *Hyphantria cunea* in relation to temperature and humidity — R. F. Morris and W. C. Fulton
- No. 71 (mailed 16 October 1970): Taxonomy and distribution of the European corn borer and allied species: Genus *Ostrinia* (Lepidoptera: Pyralidae) — Akira Mutuura and Eugene Munroe
- No. 72 (mailed 27 July 1970): A catalogue of types of Coleoptera in the Canadian National Collection of Insects — Raymond de Ruelle
- No. 73 (mailed 25 November 1970): A generic revision of the North American Heliethidinae (Lepidoptera: Noctuidae) — D. F. Hardwick
- No. 74 (mailed 25 November 1970): Revision of the subfamily Midilinae (Lepidoptera: Pyralidae) — Eugene Munroe

- No. 75 (mailed 19 April 1971): A revision of the Trogositidae of America north of Mexico (Coleoptera: Cleroidea) — J. R. Barron
- No. 76 (mailed 31 December 1970): Morphology and evolution of the insect thorax — Ryuichi Matsuda
- No. 77 (mailed 23 March 1971): The biology and dynamics of *Lithocolletis blancardella* (Lepidoptera: Gracillariidae) on apple in Quebec — R. P. Pottinger and E. J. LeRoux
- No. 78 (mailed 25 May 1971): Pest insects of annual crop plants in Canada. I. Lepidoptera. II. Diptera. III. Coleoptera — Bryan P. Beirne
- No. 79 (mailed 20 August 1971): Revision of the tribe Quediini of America north of Mexico (Coleoptera: Staphylinidae) — Aleš Smetana
- No. 80 (mailed 22 September 1971): A synopsis of the World fauna of the Saltusaphidinae, or sedge aphids (Homoptera: Aphididae) — W. R. Richards
- No. 81 (mailed 30 November 1971): A revision of the Alleculidae (Coleoptera) of the West Indies — J. M. Campbell
- No. 82 (mailed 3 December 1971): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). I. The genera *Bombus* and *Megabombus* subgenus *Bombias* — H. E. Milliron
- No. 83 (mailed 3 December 1971): Review of *Lygocoris* species found in Canada and Alaska (Heteroptera: Miridae) — Leonard A. Kelton
- No. 84 (mailed 29 February 1972): A revision of the Nearctic Amaurobiidae (Arachnida: Araneida) — Robin Leech
- No. 85 (mailed 7 April 1972): Pest insects of annual crop plants in Canada. IV. Hemiptera-Homoptera. V. Orthoptera. VI. Other groups — Bryan P. Beirne
- No. 86 (mailed 21 September 1972): Guide to the Geometridae of Canada (Lepidoptera). II. Subfamily Ennominae, 1 — W. C. McGuffin
- No. 87 (mailed 21 September 1972): The Chaitophorinae of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 88 (mailed 21 December 1972): Larval sketches of some Microlepidoptera, chiefly North American — Margaret Rae MacKay
- No. 89 (mailed 15 February 1973): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). II. The genus *Megabombus* subgenus *Megabombus* — H. E. Milliron
- No. 90 (mailed 7 March 1973): A revision of the genus *Tachinus* (Coleoptera: Staphylinidae) of North and Central America — J. M. Campbell
- No. 91 (mailed 19 December 1973): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). III. The genus *Pyrobombus* subgenus *Cullumanobombus* — H. E. Milliron
- No. 92 (mailed 23 April 1974): The systematics, phylogeny, and zoogeography of *Symmerus* Walker and *Australosymmerus* Freeman (Diptera: Mycetophilidae: Ditomiyiinae) — Donald Douglas Munroe
- No. 93 (mailed 30 May 1974): Revision of the genus *Cymbiodyta* Bed. (Coleoptera: Hydrophilidae) — Aleš Smetana
- No. 94 (mailed 13 June 1975): The cephalic structures and spiracles of final-instar larvae of the subfamily Campopleginae, tribe Campoplegini (Hymenoptera: Ichneumonidae) — Thelma Finlayson
- No. 95 (mailed 18 July 1975): The lygus bugs (genus *Lygus* Hahn) of North America (Heteroptera: Miridae) — Leonard A. Kelton
- No. 96 (mailed 4 December 1975): Revision of the genera *Paraphlepsius* Baker and *Pendarus* Ball (Rhynchota: Homoptera: Cicadellidae) — K. G. A. Hamilton

